Fujitsu recommends Windows.

Data Sheet
FUJITSU STYLISTIC Q704 Tablet

Your Toughest Business Performer

The FUJITSU Tablet STYLISTIC Q704 helps you to get the job done, regardless of location and weather conditions. Its 31.8 cm (12.5-inch) Full HD display with pen and touch input and 4th gen Intel® Core™ i7 processor with vPro™ technology ensure highest performance. A semi-ruggedized design and optional 4G/LTE and NFC help you achieve your tasks, wherever you are, in every weather. Enterprise-class security features provide best security, while two different dock able keyboards let you convert your tablet into a 2 in 1, an optional cradle provides comfort in the office.

Slim & semi-rugged design

Protect your tablet from environmental conditions. Work anywhere despite exposing the tablet to rain, humidity or dust without any component damage.

- Waterproof (tested for IPX5/7/8 specifications), dustproof (tested for IP5X specification), durable chemically strengthened glass display, MIL-STD tested*

Enterprise ready

Windows 8.1 Professional operating system for multitasking, security and compatibility

- Seamless deployment in commercial environments. Easily connect with and use established Windows-based applications

Content creation and collaboration

Give your work a personal touch and enjoy the benefits of precise handwriting recognition and multiple-touch display

- Data entry via pen-based handwriting recognition or onscreen keyboard with predictive text on a 31.8 cm (12.5-inch) Full HD display, dual performance mode for battery runtime of up to 16 hours (with 2nd battery in Keyboard Docking), full USB 3.0 port and optional extension cables via microUSB

User experience and connectivity

Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby

- Front/rear webcams, integrated Wi-Fi, Bluetooth and optional embedded 4G/LTE, WLAN, GPS, optional Near Field Communication (NFC), 2 convenient dockable keyboard options and cradle option

Manageability and security

Easy administration and protection against unauthorized third-party access

- Latest 4th gen. Core™ i7 processor with Intel® vPro™ technology, fingerprint sensor, embedded TPM and Advanced Theft Protection option, optional SmartCard Shell or Functional Shell for VESA mount available

* MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.

Components

Processor	Intel® Core™ i5-4200U processor (1.6 GHz, up to 2.6 GHz, 3 MB) *
	Intel® Core™ i7-4600U processor (2.1 GHz, up to 3.3 GHz, 4 MB)
	Intel® Core™ i5-4300U processor (1.9 GHz, up to 2.9 GHz, 3 MB)
Operating systems	
Operating system	Windows 8.1 Pro 64-bit Windows 8.1 64-bit Windows 7 Professional 64-bit
Operating system compatible	Windows 8.1 Windows 7
Hard disk drives (internal)	SSD mSATA, 256 GB, OPAL capable
	SSD mSATA, 128 GB, OPAL capable
	SSD mSATA, 64 GB, FDE
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6GBit/s)
Interface add on cards/components (optional)	
3G/4G (optional)	UMTS Sierra Wireless EM8805 w/ GPS (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
	No NFC
	NFC
	LTE Sierra Wireless EM7305 w/ GPS (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
WLAN (optional)	Intel® Dual Band Wireless-N 7260 2x2 AGN
Display	31.8 cm (12.5-inch), LED backlight, (Full HD), Glare with dual digitizer, magnesium, 1,920 x 1,080 pixel, 700:1, 352 cd/m²
Multimedia	
Camera	Front camera 2 megapixel, rear camera 5 megapixel with autofocus and photo LED

Base unit

Base unit	STYLISTIC Q704 Waterproof	STYLISTIC Q704 SmartCard
General system information		
Chipset	Integrated in CPU	Integrated in CPU
Chipset notes	Supports iAMT 9.0 Intel® vPro™ requires Core i5-43xx & i7-46xx CPU, Intel WLAN 7260 a/b/g/n, TPM module	Supports iAMT 9.0 Intel® vPro™ requires Core i5-43xx & i7-46xx CPU, Intel WLAN 7260 a/b/g/n, TPM module
Memory slots	LPDDR3 (1600 MHz)	LPDDR3 (1600 MHz)
Supported capacity RAM (max.)	8 GB	8 GB

General system information		
Memory notes	LPDDR3 (1,600 MHz)	LPDDR3 (1,600 MHz)
LAN	via cradle or optional cable accessory Intel® 218LM	via cradle or optional cable accessory Intel® 218LM
LAN notes	GBit-LAN via micro USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification.	GBit-LAN via micro USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification.
BIOS features	BIOS Flash EPROM BIOS based on Phoenix SecureCore	BIOS Flash EPROM BIOS based on Phoenix SecureCore
Audio type	On board	On board
Audio codec	Realtek ALC283	Realtek ALC283
Audio features	Built-in array microphone, 2x built-in speakers (stereo)	Built-in array microphone, 2x built-in speakers (stereo)
Waterproof	IPX5 / 7 / 8	SmartCard Shell: no
Dustproof	IP5X	SmartCard Shell: no

Display	
Display	31.8 cm (12.5-inch), IPS dual digitizer, Full HD, Glare, 1,920 x 1,080 pixel, 700:1, 352 cd/m²
Display notes	Wide-view high-bright LED display (for enhanced outdoor viewing). With magnesium display lid. Integrated ambient light sensor for automatic backlight adjustment to the working environment.
Sensors	3-axis Accelerometer Gyroscope Ambient Light Sensor Magnetic Field Sensor
Aspect ratio	16:9
Brightness - typical	352 cd/m²
Contrast - typical	700:1
Digitizer	Dual Digitizer for pen input plus capacitive 10-finger multi-touch screen
Ambient light sensor	Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight
Viewing angle (h/v) - typical	178°/178°

Graphics		
Base unit	STYLISTIC Q704 Waterproof	STYLISTIC Q704 SmartCard
TFT resolution (HDMI)	1,920 x 1,080 pixel	1,920 x 1,080 pixel
TFT resolution (VGA)	1,920 x 1,080 pixel	1,920 x 1,080 pixel
Max. resolution external display	up to 1,920 x 1,080	up to 1,920 x 1,080
Graphics brand name	Intel® HD Graphics 4400	Intel® HD Graphics 4400
Graphics features	Dual Display support (1x external, 1x internal) HDCP support DirectX 11	Dual Display support (1x external, 1x internal) HDCP support DirectX 11
Graphics notes	Shared memory depending on main memory size and operating system 3D accelerator	Shared memory depending on main memory size and operating system 3D accelerator

Interfaces		
DC-in	1	1
Audio: line-out / headphone	1 (combo port with Audio line-in)	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)	1 (combo port with Audio line-out)
Internal microphones	1 (digital)	1 (digital)
USB 2.0 total	micro USB 2.0	micro USB 2.0
USB 3.0 total	1	1
VGA	via optional cradle or optional adapter cable accessory	via optional cradle or optional adapter cable accessory
HDMI	via optional cradle or optional adapter cable accessory	via optional cradle or optional adapter cable accessory
Ethernet (RJ-45)	via optional cradle or optional adapter cable accessory	via optional cradle or optional adapter cable accessory
Memory card slots	1 (microSD up to 2GB, microSDHC up to 32GB, microSDXC up to 64GB)	1 (microSD up to 2GB, microSDHC up to 32GB, microSDXC up to 64GB)
SmartCard slot		1 (Smart Card Chip: OZ77CR6)
SIM card slot	1 (MicroSIM - only for models with integrated 3G/UMTS or 4G/LTE module)	1 (MicroSIM - only for models with integrated 3G/UMTS or 4G/LTE module)

Interfaces		
Interface Module notes	LAN, HDMI and VGA available via micro USB conversion cable.	LAN, HDMI and VGA available via micro USB conversion cable.
Cradle (Charging or Functional)		
DC-in	1 (19V)	
USB 3.0 total	4	
VGA	1	
HDMI	1	
Ethernet (RJ-45)	1 (10/100/1000)	
Wireless technologies		
Antennas	2x dual band for WLAN, 2x for UMTS/LTE, Bluetooth shared with WLAN	
Bluetooth	Bluetooth 4.0	
WLAN notes	Import and usage according to country-specific regulations.	
UMTS/GPS notes	Including GPS functionality	
NFC	optional	
Power supply		
AC adapter	19 V / 65 W (3.42 A)	
Rated voltage range	100 V - 240 V (AC Input)	
Rated frequency range	50 Hz - 60 Hz	
1st battery	Lithium Polymer battery 3-cell, 46 Wh	
Runtime 1st battery	up to 10 h	
Battery charging time	~ 140 min.	
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.	
Dimensions / Weight / Environmental		
Dimensions (W x D x H)	309.6 x 199.3 x 11.9 mm (waterproof) mm	309.6 x 199.3 x 11.9 mm - 18.8 mm (with SmartCard) mm
Weight	from 0.980 kg (Waterproof)	from 1.032 kg (SmartCard Shell)
Weight notes	Weight may vary depending on actual configuration (including battery pack)	
Operating ambient temperature	Running: 5 - 35 °C; Packed -15 - 60 °C	
Operating relative humidity	Running: 20 - 85%; Packed 8 - 85% (relative humidity, non-condensing)	
Compliance		
Product	STYLISTIC Q704	
Europe	CE! EN 60950	
Global	IT-Eco-Declaration RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment)	
Russia	GOST	
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates	
Additional Software		
Additional software (preinstalled)	Adobe® Reader® (pdf reader) Fujitsu LIFEBOOK Application Panel Fujitsu Display Manager ShockSensor Utility Power Saving Utility Fujitsu Plugfree Network (network management utility) EasyGuide online user documentation Win8.1: Microsoft Push Button Recovery (hard disk based recovery) Microsoft Office (buy license to activate the pre-installed Microsoft Office) Win7: Fujitsu Recovery (hard disk based recovery) McAfee Internet Security and Antivirus Software (60 days trial version)	

Additional Software	
Additional software (optional)	Drivers & Utilities DVD (DUDVD) Connection manager (optional with 4G/LTE or 3G/UMTS) DVD playback software CyberLink YouCam (webcam software) Recovery DVD for Windows®

Manageability	
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intel® vPro™ technology WoL (Wake on LAN) iAMT 9.0 (depending on CPU)
Manageability software	DeskView Client DeskView Instant BIOS Management DeskView Integration for Symantec Management Platform
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management
Supported standards	WMI PXE BootP (made4you)
Manageability link	http://www.fujitsu.com/fts/manageability

Security		
System and BIOS Security	Advanced Theft Protection (Computrace® only) Write protect option for the Flash EPROM Control of all USB interfaces User and supervisor BIOS password Embedded security (TPM 1.2) (optional)	
User Security	User and supervisor BIOS password Preboot Authentification with SystemLock 3 Hard disk password Embedded fingerprint sensor (supported only by Windows 8 integrated functionality)	User and supervisor BIOS password Preboot Authentification with SystemLock 3 Hard disk password Embedded fingerprint sensor (supported only by Windows 8 integrated functionality) Integrated SmartCard slot

Warranty	
Standard Warranty	2 years (depending on country)
Service level	Collect & Return Service / Due to product design, only central repair is possible, on-site service is not available.
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Product Support Services - the perfect extension	
Recommended Service	9x5, Response Time: Next Business Day
Spare Parts availability	3 years (depending on country)
Service Weblink	htttp://ts.fujitsu.com/Supportservice

Recommended Accessories

Cradle STYLISTIC Q704		Boosted performance, flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of the cradle for the STYLISTIC Q704.	Order Code: S26391-F1367-L100
Hand Strap		The Fujitsu Hand Strap makes handling and carrying your tablet easier. It comes with screws that allow you to attach it to the threaded inserts on the back of your tablet to provide a secure grip. The adjustable Velcro makes this hand strap easy to adjust for any size hand and is usable in combination with the SmartCard Shell of the STYLISTIC Q704 and Q584. (Picture shows a STYLISTIC Q584 for illustration only.)	Order Code: S26391-F1193-L12
Shoulder Strap		The Fujitsu Shoulder Strap is the perfect addition to your STYLISTIC Q704 and Q584 SmartCard Shells. The strap uses only top quality materials and is highly adjustable, enabling you to transport your device with a minimum of effort and maximum comfort. (Picture shows a STYLISTIC Q584 for illustration only.)	Order Code: S26391-F1193-L13
Folio Case STYLISTIC Q704		The Folio Case for the STYLISTIC Q704 Standard Shell is a thin, tailored protective sleeve for your Fujitsu tablet. It keeps the device safe from damage on the go, and brings a touch of style to your daily work. It can even be used as a stand if you need to display a presentation or watch a clip. (*the case can be used with the waterproof version of the STYLISTIC Q704 only)	Order Code: S26391-F1193-L20
VESA Mount Plate STYLISTIC Q704		The VESA Mounting Plate for the STYLISTIC Q704 SmartCard Shell is used to easily and securely attach the rear of the STYLISTIC Q704 to any standard 4-hole 75mm x 75mm VESA-compliant mount, such as a vehicle mount, wall mount, or cart mount. The VESA Mounting Plate is secured to the STYLISTIC Q704 using the four threaded inserts on the rear of the system.	Order Code: S26391-F1193-L21
Micro USB to VGA Conversion Cable		The Fujitsu Micro USB to VGA Conversion Cable enables you to view content from your compatible STYLISTIC Tablet when the available projector or external display has a VGA connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments.	Order Code: S26391-F1378-L810
Micro USB to HDMI Conversion Cable		The Fujitsu Micro USB to HDMI Conversion Cable enables you to view content from your compatible STYLISTIC Tablet when the available projector or external display has an HDMI connector. This adapter is perfect for salespeople and others who often find themselves making presentations in a wide variety of environments.	Order Code: S26391-F1378-L830
Micro USB to LAN (RJ45) Conversion Cable		The FUJITSU Micro USB to LAN Conversion Cable enables you to connect your compatible STYLISTIC Tablet to a wired network connection. GBit-LAN via micro USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification.	Order Code: S26391-F1378-L840
Mobile Bluetooth Communication Speaker		The Fujitsu Mobile Bluetooth Communication Speaker is the perfect audio accessory for your connected mobile life. It is smaller than a tennis ball so you can bring it everywhere and it can connect via Bluetooth so you don't have to worry about cords. An integrated microphone gives you on-the-fly conference call capabilities for all your Bluetooth enabled mobile devices.	Order Code: S26391-F7128-L700

In-Earphone Stereo		These earphones ensure the best acoustic experience with an excellent in-ear tiny metallic design. They are equipped with 3 different interchangeable silicon ear plugs for optimal wearing comfort and with a wired volume control for easy access to your controls. The 3.5mm audio jack makes these earphones the best companion for your notebook, PC or portable multimedia device.	Order Code: S26391-F7139-L6
Slice Keyboard for STYLISITC Q704		The Slice Keyboard for your STYLISTIC Q704 allows fast content creation while on the go and additionally protects against scratches. It also folds to position your tablet at various comfortable angles for efficient working no matter where your job takes you.	S26391-F1276-L2** (**country specific version)
Keyboard Docking STYLISTIC Q704		The attachable Keyboard Docking exclusively for STYLISTIC Q704 is the ultimate productivity accessory. The keyboard has a dedicated battery for enhanced runtime of up to eight hours and additional USB, VGA and LAN interfaces. The full-sized keyboard transforms your tablet into a traditional notebook for high-efficiency content creation without any compromise on mobility.	S26391-F1277-L2** (**country specific version)

More information

Fujitsu OPTIMIZATION Services

In addition to FUJITSU STYLISTIC Q704, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio
Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products
www.fujitsu.com/global/services/computing/

Software
www.fujitsu.com/software/

More information

Learn more about FUJITSU STYLISTIC Q704, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/fts/tabletpc

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.
Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT.
Please find further information at http://www.fujitsu.com/global/about/environment

Green Policy Innovation

Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT
Fujitsu Technology Solutions
Website: www.fujitsu.com/fts
2014-12-16 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see www.fujitsu.com/terms
Copyright © Fujitsu Technology Solutions